

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	78	((subset near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:20
-	0	((((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((monitor\$3 near3 (activit\$3 function\$1 task\$1)) same (detect\$3 with (decreas\$3 lower\$3 reduc\$3)))) and ((subset near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:25
-	717	((subset portion) with (function task)) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:26
-	0	((((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((monitor\$3 near3 (activit\$3 function\$1 task\$1)) same (detect\$3 with (decreas\$3 lower\$3 reduc\$3)))) and (((subset portion) with (function task)) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 07:54
-	990	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:35
-	314	((subset portion partition fraction) near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:36
-	214	((((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2)) and (((subset portion partition fraction) near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:36
-	8	((((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2)) and (((subset portion partition fraction) near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)))) and (bitstream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 09:24
-	20	((((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2)) and (((subset portion partition fraction) near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)))) and (bitstream bit-stream (bit adj2 stream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:37
-	159	((((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2)) and (((subset portion partition fraction) near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)))) and (resource near3 (task function program application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:38
-	13	(((((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2)) and (((subset portion partition fraction) near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)))) and (bitstream bit-stream (bit adj2 stream))) and (((((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2)) and (((subset portion partition fraction) near4 resource) and ((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)))) and (resource near3 (task function program application)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:38

-	661	((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:47
-	236	((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) and ((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:48
-	31	((reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) and ((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA))) not configur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 13:48
-	5	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and (allocat\$3 near3 resource\$1)) and ((monitor\$3 near3 (activit\$3 function\$1 task\$1)) same (detect\$3 with (decreas\$3 lower\$3 reduc\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 14:53
-	70	((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocate\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and ((detect\$3 monitor\$3) with level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 15:35
-	227	((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocate\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and (detect\$3 monitor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 14:57
-	31	((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocate\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and (load\$3 near3 balanc\$3)) and (((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocate\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and ((detect\$3 monitor\$3) with level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 15:37
-	267	((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocate\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 14:56
-	201	((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocate\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and ((first second another third) near5 (task process\$3 activit\$3 function)) and (high\$3 increas\$3 low\$3 reduc\$3 decreas\$3 rais\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 16:03
-	92	((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocate\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and ((first second another third) near5 (task process\$3 activit\$3 function)) and (high\$3 increas\$3 low\$3 reduc\$3 decreas\$3 rais\$3)) and (period\$6 time sampl\$3)) and (period\$6 and time and sampl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 16:10
-	70	((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocate\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and (load\$3 near3 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 15:18

-	64	(((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocat\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and ((first second another third) near5 (task process\$3 activit\$3 function)) and (high\$3 increas\$3 low\$3 reduc\$3 decreas\$3 rais\$3)) and (((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocat\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and (load\$3 near3 balanc\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 16:09
-	35	((((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocat\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and ((first second another third) near5 (task process\$3 activit\$3 function)) and (high\$3 increas\$3 low\$3 reduc\$3 decreas\$3 rais\$3)) and (period\$6 time sampl\$3)) and (period\$6 and time and sampl\$3)) and (((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocat\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and (load\$3 near3 balanc\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 15:19
-	180	(((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocat\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and ((first second another third) near3 (task process\$3 activit\$3 function)) and (high\$3 increas\$3 low\$3 reduc\$3 decreas\$3 rais\$3)) and (period\$6 time sampl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 16:08
-	64	(((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocat\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and ((first second another third) near3 (task process\$3 activit\$3 function)) and (high\$3 increas\$3 low\$3 reduc\$3 decreas\$3 rais\$3)) and (((allocat\$3 near3 resource\$1) and (PLD pla pga FPGA DFPGA)) and (((recalculat\$3 reallocat\$3 reconfigur\$3 configur\$3 modif\$4 chang\$3 alter\$4) with resourc\$2) (dynamic\$4 with resource with alloca\$3))) and (load\$3 near3 balanc\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 16:10
-	278	(PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and ((allocat\$3 reallocat\$3 re-allocat\$3) near3 (ratio proportion\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/23 17:02
-	10	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1) and ((allocat\$3 reallocat\$3 re-allocat\$3) near3 (ratio proportion\$3))) and (resource_near3 (reconfigur\$7-configur\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/23 17:02
-	665	(PLD pla pga FPGA DFPGA cpld) and (allocat\$3 near3 resource\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/23 17:00
-	4	((PLD pla pga FPGA DFPGA cpld) and (allocat\$3 near3 resource\$1)) and ((allocat\$3 reallocat\$3 re-allocat\$3) near3 (ratio proportion\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/23 17:04
-	158	((PLD pla pga FPGA DFPGA cpld) and (allocat\$3 near3 resource\$1)) and (resource near3 (reconfigur\$7 configur\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 07:56
-	14	(((PLD pla pga FPGA DFPGA cpld) and (allocat\$3 near3 resource\$1)) and (resource near3 (reconfigur\$7 configur\$7))) and ((reconfigur\$7 re-configur\$7 configur\$7) near3 (bitstream (bit adj2 stream)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 08:29

-	43	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4) with resourc\$2)) same ((function\$5 task\$3 process processes processing) with (activit\$3 level\$3 traffic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 11:49
-	31	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4) with resourc\$2)) same ((function\$5 task\$3 process processes processing) with (activit\$3 level\$3 traffic))) and (((function\$5 task\$3 process processes processing) with (activit\$3 level\$3 traffic)) same (bus\$3 noise low\$3 high\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 09:33
-	156	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4) with resourc\$2)) same ((function\$5 task\$3 process processes processing) with (activit\$3 level\$3 traffic increas\$3 more less\$3 decreas\$3 low\$3 high\$3 demand\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 09:38
-	137	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4) with resourc\$2)) same ((function\$5 task\$3 process processes processing) with (increas\$3 more less\$3 decreas\$3 low\$3 high\$3 demand\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 09:39
-	117	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4) with resourc\$2)) same ((function\$5 task\$3 process processes processing) with (increas\$3 more less\$3 decreas\$3 demand\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 09:39
-	26	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4) with resourc\$2)) same ((function\$5 task\$3 process processes processing) with (increas\$3 decreas\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:10
-	0	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4) with resourc\$2)) same ((function\$5 task\$3 process processes processing) with ((activit\$3 adj2 level\$3) traffic) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 11:58
-	4	((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4)) same ((function\$5 task\$3 process processes processing) with ((activit\$3 adj2 level\$3) traffic) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:00
-	807	(reduc\$3 low\$3 high\$3 increas\$3 decreas\$3 less\$3 more) with ((allocat\$3 re-allocat\$3 de-allocat\$3) with resourc\$2) with (amount level\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:14
-	175	((function\$5) with ((activit\$3 adj2 level\$3)) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:16
-	0	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with (allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4)) and (((function\$5) with ((activit\$3 adj2 level\$3)) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:17
-	2	(PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) and (((function\$5) with ((activit\$3 adj2 level\$3)) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:17

-	15	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with (allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4)) and (((PLD\$1 pla\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with ((allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4) with resourc\$2)) same ((function\$5 task\$3 process processes processing) with (increas\$3 decreas\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:13
-	325	((function\$5 operat\$3) with ((activit\$3 adj2 level\$3)) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:18
-	2	(PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) and (((function\$5 operat\$3) with ((activit\$3 adj2 level\$3)) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:36
-	54	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1) with (allocat\$3 re-allocat\$3 de-allocat\$3 reconfigur\$7 configur\$7 modif\$7 chang\$3 alter\$4)) and (((function\$5 operat\$3) with ((activit\$3)) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:21
-	336	(sampl\$3 monitor\$3 track\$3) with ((activit\$3 traffic) near3 level\$3) with (function\$5 operat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:03
-	0	((sampl\$3 monitor\$3 track\$3) with ((activit\$3 traffic) near3 level\$3) with (function\$5 operat\$3) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with resource))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:48
-	0	((sampl\$3 monitor\$3 track\$3) same ((activit\$3 traffic) near3 level\$3) same (function\$5 operat\$3) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with resource))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:47
	40	((sampl\$3 monitor\$3 track\$3) same ((activit\$3 traffic)) same (function\$5 operat\$3) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with resource))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 07:56
-	11	((sampl\$3 monitor\$3 track\$3) with ((activit\$3 traffic)) with (function\$5 operat\$3) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with resource))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 07:56
-	305	(sampl\$3 monitor\$3) with ((activit\$3 traffic) near3 level\$3) with (function\$5 operat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:03
-	94	(sampl\$3) with ((activit\$3 traffic) near3 level\$3) with (function\$5 operat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 07:56
-	1	((((US-5999990-\$).did.).p56-p125.) (((US-20020156914-\$).did.).p126-p136.)) and (reserv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:20

-	21	((sampl\$3) with ((activit\$3 traffic) near\$3 level\$3) with (function\$5 operat\$3) and (reserv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 07:56
-	2	((sampl\$3 monitor\$3 track\$3) with ((activit\$3 traffic)) with (function\$5 operat\$3) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with resource)) and reserv\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 07:57
-	20	((sampl\$3 monitor\$3 track\$3) same ((activit\$3 traffic)) same (function\$5 operat\$3) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with resource)) and (reserv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:58
-	11	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (reconfigur\$7 reallocat\$3)) same ((function\$5 operat\$3 task\$3) with (activit\$3 traffic load\$3 level\$3) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:04
-	590	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (reconfigur\$7 reallocat\$3)) with ((function\$5 operat\$3 task\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:48
-	310	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (reconfigur\$7 reallocat\$3)) with ((function\$5 operat\$3 task\$3)) and ((activit\$3 traffic load\$3 level\$3) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:48
-	346	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (reconfigur\$7 reallocat\$3)) with ((function\$5 operat\$3 task\$3 instruction)) and ((activit\$3 load\$3 level\$3) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater traffic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:51
-	11	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (reconfigur\$7 reallocat\$3)) same ((function\$5 operat\$3 task\$3 instruction) with (activit\$3 load\$3 level\$3) with (more traffic less\$3 decreas\$3 increas\$3 reduc\$3 greater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:51
-	18	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (reconfigur\$7 reallocat\$3)) with ((function\$5 operat\$3 task\$3 instruction)) same ((activit\$3 load\$3 level\$3) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater traffic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:51
-	16	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (reconfigur\$7 reallocat\$3)) same ((signal\$4 function\$5 operat\$3 task\$3) with (activit\$3 traffic load\$3 level\$3) with (more less\$3 decreas\$3 increas\$3 reduc\$3 greater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:56
-	138	((sampl\$3 monitor\$3 track\$3) same ((activit\$3 traffic)) same (function\$5 operat\$3 task\$3 instruction signal\$4) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with (resource PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:00
-	105	((sampl\$3 monitor\$3 track\$3) same ((activit\$3 traffic load\$3)) same (function\$5 operat\$3 task\$3 instruction signal\$4) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with (resource PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:02

-	32	((sampl\$3 monitor\$3 track\$3) with (activit\$3 traffic load\$3) with (function\$5 operat\$3 task\$3 instruction signal\$4)) same ((reconfigur\$7 re-configur\$7 reallocat\$3 re-allocat\$3) with (resource PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:03
-	0	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (reconfigur\$7 reallocat\$3)) same (load\$3 near4 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:00
-	1	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) same (reconfigur\$7 reallocat\$3)) same (load\$3 near4 balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:05
-	1	((PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) same (reconfigur\$7 reallocat\$3)) same (load\$3 with balanc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:06
-	4	("5652875" "5603043") .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:21
-	86	((reallocat\$3 reprogram\$4 reconfigur\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:11
-	0	((reallocat\$3 reprogram\$4 reconfigur\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol))) and ((balanc\$3 with (load\$3 traffic activit\$3)) and ((monitor\$3 track\$3) with (load\$3 traffic activit\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 09:11
-	9	((reallocat\$3 reprogram\$4 reconfigur\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol))) and ((balanc\$3 with (load\$3 traffic activit\$3)) ((monitor\$3 track\$3) with (load\$3 traffic activit\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 09:41
-	13	((reallocat\$3 reprogram\$4 reconfigur\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element))) and ((monitor\$3 track\$3) with (load\$3 traffic activit\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 09:39
-	77	((reallocat\$3 reprogram\$4 reconfigur\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol))) not ((reallocat\$3 reprogram\$4 reconfigur\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol))) and ((balanc\$3 with (load\$3 traffic activit\$3)) ((monitor\$3 track\$3) with (load\$3 traffic activit\$3))) not ((reallocat\$3 reprogram\$4 reconfigur\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element))) and ((monitor\$3 track\$3) with (load\$3 traffic activit\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 09:39

-	76	((((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol))) not ((((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol))) and ((balance\$3 with (load\$3 traffic activit\$3)) ((monitor\$3 track\$3) with (load\$3 traffic activit\$3)))) not (((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element))) and ((monitor\$3 track\$3) with (load\$3 traffic activit\$3)))) and (load\$3 traffic activit\$3 function\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 09:42
-	51	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (more less\$3 decreas\$3 increas\$3 reduc\$3 great\$3 decrement\$3 increment\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:02
-	0	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol) with (bit bitstream)) same (monitor\$3 track\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:14
-	7	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol) with (bit bitstream bit-stream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:33
-	0	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (bit bitstream bit-stream)) same (monitor\$3 track\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:15
-	34	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (bit bitstream bit-stream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:26
-	27	((((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (bit bitstream bit-stream))) not (((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol) with (bit bitstream bit-stream)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:15
-	7	((((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (bit bitstream bit-stream))) not ((((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (bit bitstream bit-stream))) not (((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (function\$5 instruction protocol) with (bit bitstream bit-stream)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:25
-	84	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element))) same (bit bitstream bit-stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:27

-	50	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element))) same (bit bitstream bit-stream)) not (((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (bit bitstream bit-stream)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:27
-	2	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (logic\$4) with (bit bitstream bit-stream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:34
-	4	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (logic\$4) with (bit bitstream bit-stream))) not (((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal) with (logic\$4) with (bit bitstream bit-stream)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:34
-	6	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (logic\$4) with (bit bitstream bit-stream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:35
-	144	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (logic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:36
-	70	((reallocate\$3 reprogram\$4 reconfigure\$7) with (partial\$2 portion subset part\$3) with (PLD\$1 pga\$1 FPGA\$1 DFPGA\$1 cpld\$1 prom pla pal/gal (logic adj2 element)) with (logic\$4)) and ((reallocate\$3 reprogram\$4 reconfigure\$7) with (bitstream bit-stream bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:44